PROGRESS OF THEORETICAL PHYSICS

Founded by H. Yukawa in 1946 Kyoto

Advisory Council

K. HUSIMI, Nagoya M. KOTANI, Tokyo

Magoya M. KOBAYASI, Kyoto Tokyo M. TAKETANI, Tokyo

T. NAGAMIYA, Osaka S. TOMONAGA, Tokyo

Editor

H. YUKAWA, Kyoto

Volume 52


JULY—DECEMBER
1 9 7 4

Published for the

Research Institute for Fundamental Physics

and

The Physical Society of Japan



CONTENTS

No. 1 July

| A Theory of Local Environment Effect on the Electronic Structure | |
|---|-----|
| in Disordered Alloys Hirosi Miwa | 1 |
| Roton Spectrum in Superfluid Mixture of He ⁸ and He ⁴ | |
| Tetsuo Ohmi, Hiroshi Kawamoto and Toshihiko Tsuneto | 17 |
| Dielectric Response Function of Electron Liquids. III—Numerical | |
| Investigation of Static Properties— | |
| Hiroo Totsuji and Setsuo Ichimaru | 42 |
| On the Yang-Lee Distribution of Zeros for a Gas Obeying van der | |
| Waals' Equation of State. I - Fundamental Concepts and the | |
| Limit of Vanishing Attraction— | 54 |
| Multiple Scattering of Slow Neutrons by Statistical Media | |
| Hiroaki Hara and Tsuyoshi Honda | 68 |
| Contribution to Statistical Mechanics Far from Equilibrium. II | |
| Extension to Non-Steady States and to General Stochastic | |
| Models— Kyozi Kawasaki | 84 |
| Low-Temperature Specific-Heat of One-Dimensional Hubbard Model | |
| Minoru Takahashi | 103 |
| Theory of the Unrestricted Hartree-Fock Equation and Its Solutions. | |
| II—Classification and Characterization of UHF Solutions by | |
| Their Behavior for Spin Rotation and Time Reversal | |
| Hideo Fukutome | 115 |
| Theory of Scattering in Three-Particle System | |
| Masahiko Hirooka and Sigenobu Sunakawa | 131 |
| Dynamical Contraction of Infinite Plane-Symmetric Gas Clouds | |
| | 147 |
| "Cosmological" Constant and Scalar Gravitons | |
| E. A. Lord, K. P. Sinha and C. Sivaram | 161 |
| Geometrical Corrections to the Glauber Multiple-Scattering Theory | |
| Mitsuaki Obu | 170 |
| Urbaryon Rearrangement and Breaking of Line Reversal Relations. | |
| II Takeo Matsuoka and Shoji Sawada | 184 |
| Comments on Double-Partial-Wave Calculus of Absorptive Regge | |
| Singularities. II. Haruo Fujisaki, Shigeharu Mutoh and Ei-ichi Akiba | 196 |
| Relations between Inclusive Reactions Based on the Vector-Meson- | |
| Dominance Model and Smoothness of Invariant Amplitudes | |
| Chikashi Iso, Seikō Iwai, Hirotaka Kanasugi and Yasunori Miyata | 200 |
| Structure of Inner Couplings in Exclusive Reactions | |

| | 218 |
|---|------|
| On the Residue of $J=0$ Fixed Pole and Regge Residues in Deep | |
| Inelastic e-p Scattering | 230 |
| Total Cross Sections of Hadron Collisions and Light-Cone Algebra | |
| Akira Kakuto | 240 |
| Composite Model and High-Energy Behaviour of the Hadronic | |
| Process | 249 |
| Decay Angular Distribution of a Vector-Meson Produced by Po- | |
| larized Leptons in the Quark Model | |
| Masaki Hayashi and Kazuo Katsuura | 259 |
| Modification of Adler's Neutrino Sum Rule Due to Second Class | |
| Current | 267 |
| An Analytic Continuation of Propagators in a Particle-Exchange | 20. |
| Model | 275 |
| | 210 |
| Gauge Structure of Canonical Quantum Electrodynamics | 290 |
| | 230 |
| Integrability and Regularization in Local Field Theory | 304 |
| Kunio Yamamoto | |
| Hamiltonian Dynamics and the Schrödinger EquationL. Bess | 313 |
| Letters to the Editor: | |
| Muscular Contraction Mechanism as a Hard Mode Instability | 329 |
| Approximate E2-Symmetry in High-Energy, Small-Angle Scattering Process | 007 |
| Flow in Close Binary SystemsS.A. Sorensen, T. Matsuda and T. Sakurai | 331 |
| Breakdown of Scaling and Violation of Microcausality | 335 |
| Low-Energy Electron Scattering from Strongly Polar MoleculesK. Takayanagi | 337 |
| An Octupole Deformation in ²⁰ Ne H. Noto, Y. Abe, J. Hiura and H. Tanaka | 339 |
| Triality Constraint on Urbaryon Rearrangement Diagram and Urbaryons in Corre- | 0.41 |
| lated Mode | 341 |
| One-Dimensional Structure of HadronsM. Imachi, S. Otsuki and F. Toyoda | 346 |
| Diffraction Peak in π^{\pm} - $p(K^{\pm}$ - $p)$ Scattering | 349 |
| Couplings between Spin and String as a Collective Mode of Hadronic Matter | |
| On the Possible Phases of a One-Dimensional Metal with a Half-Filled Band | 351 |
| M Konishi and M Kimura | 353 |
| SU(3) Structure of Neutral Currents in the New Nagova Model H Kurokawa | 355 |
| Multiple Exchange of the Shielded Fixed-Pole Pomeron in the Eikonal Approxima- | |
| tion | 357 |
| K. Kawasaki | |
| Logarithmic Rising of ϕp Total Cross Section | 359 |
| Logarithmic Rising of ϕp Total Cross Section | 359 |

No. 2 August

| Theoretical Investigation of Magnetization Process in CoCl ₂ ·2H ₂ O | |
|--|------|
| Takehiko Oguchi | 363 |
| Crossover Exponent of the Spin Anisotropic n-Vector Model with | |
| Short-Range Interaction in 1/n Expansion | |
| Shinobu Hikami and Ryuzo Abe | 369 |
| Magnetic Resonance of Localized Spins ——Phenomenological Equa- | |
| tion of Motion— S. Coutinho and R. Luzzi | 379 |
| Crystal Instability and Premelting Phenomena Katsuya Honda | 385 |
| On the Extension of Inverse Scattering Method | |
| | 397 |
| On the Yang-Lee Distribution of Zeros for a Gas Obeying van der | |
| Waals' Equation of State. II — General Considerations for All | |
| Temperatures— Kazuyosi Ikeda | 415 |
| Dynamics of Macrovariables for Nonuniform Systems — Scaling | |
| Theory—— | 433 |
| Penetration of Convective Envelope into Stellar Core and Existence | |
| of Neutrino Loss Ken'ichi Nomoto | 453 |
| Realistic Effective Interaction between Nucleons in Cluster States | |
| of Light NucleiStarting-Energy-Dependent Interaction and | |
| Its Application to Alpha-Cluster plus 16O-Core Model of 20Ne— | |
| Yasuo Yamamoto | 471 |
| Four-Hole Structure in Fe Isotopes Kazunori Itonaga | 487 |
| Effective Interactions in Finite Nuclei Based on Reaction Matrix | |
| Theory. I ——Reaction Matrix Consistent with Model Space— | |
| Kazuhiko Andō, Hiroharu Bandō and Sinobu Nagata | 509 |
| Model of Pairing Collective Mode with Isospin Structure | |
| Hiroyuki Sagawa | 521 |
| On the New Kinematical Constraints of the Pair Operators in the | |
| Algebraic Approach to the Theory of Collective Motion | |
| Masatoshi Yamamura | 538 |
| Generalized Separable Potential Theory and Bateman's Method | |
| on the Scattering Problem Shinsho Oryu | 550 |
| Pion Exchange Mechanism for $(\pi^+, 2p)$ ReactionsB. R. Wienke | 567 |
| A Note on Neutral Pion Photoproduction from the Deuteron | |
| K. Srinivasa Rao and S. Srinivasa Raghavan | 578 |
| KN and $\bar{K}N$ Scattering in a Regge-Pole Model without τP Parity | |
| PartnersMasakatsu Kenmoku | 585 |
| On Reggeized Absorption in the Presence of the Shielded Fixed-Pole | 1000 |
| Pomeron | 596 |
| Structure of Hadron-Hadron Collision at High Energies and a New | |

| Integral Equation for Production Amplitudes | |
|--|------------|
| Toshiyuki Morii and Hujio Noda | 602 |
| All-Angle Behavior of Two-Body Scattering and Urbaryon Re- | |
| arrangement Yuji Igarashi, Takeo Matsuoka and Shoji Sawada | 618 |
| On Selection Rule of Weak Processes and Decays of New Particles. II | |
| Takemi Hayashi, Masami Nakagawa, Hidemitsu Nitto and Shuzo Ogawa | 636 |
| Asymptotic Behavior of the Green Function in a Solvable Field | |
| Theory Jiro Sakamoto | 647 |
| Bound States and Asymptotic Fields in the Translation-Invariant | |
| Lee Model | 659 |
| On Quantum Field Theory. I — Quantum Field Theory as Quantum | |
| Mechanics— | 688 |
| Mechanics Ryoutem Rambe | 000 |
| Letters to the Editor: | |
| Three-Body Model of 6He with Local Potentials Y. Kawazoe and H. Matsuzaki | 707 |
| Dynamical Effect of Nuclear Deformation in Elastic Scattering of Heavy Ion Y. Takeichi | 709 |
| Effects of Diffusion on the Fluctuations in Open Chemical Systems Y. Kuramoto | 711 |
| Comment on the Quark Burning Model of QuasarsT. Toiya and K. Terasaki | 713 |
| A New Interaction Length and Independent Urbaryon Model | |
| M. Imachi, S. Otsuki and F. Toyoda | 715 |
| Resonant Amplitude at Small Impact Parameter | 718 |
| tudes | 720 |
| Perturbational Renormalization Group Approach to Critical Dynamics in Stochastic | |
| Models | 722 |
| Study of Two-Channel Five-Nucleon Reaction with Nuclear Forces | 705 |
| A Comment on Physical Interpretation of the Tomimatsu-Sato MetricsY. Tanabe | 725 727 |
| Comments on Reggeized Absorption in the Presence of the Grey Disc Pomeron | |
| with Schwarz-Type Trajectory Function | 729 |
| Helicity Amplitudes Constructed by $SU(6) \times O(3)$ Spectrum with Broken $SU(6)_W$ | 51011 |
| Comments on Velocity Operators of Bose Fluids S. Nakajima and D. Yoshioka | 731 |
| Short Range Two-Particle Correlations and Decay Properties of Fire Ball | 733 |
| | 735 |
| Irreversible Circulation and Path Probability K. Tomita, T. Ohta and H. Tomita | 737 |
| Khuri Amplitudes and Partial Wave Amplitudes | 739 |
| Possible Structure of Hadronic Constituents and Expected Non-Scaling Behavior in Deep Inelastic Scattering | 741 |
| Errata: | 741 |
| Theoretical Study of Optical Absorption Curves of Molecules. II—Effect of the | |
| Vibrational Mode-Mode Interaction in the Excited State—(Vol. 50, p. 17) | |
| T. Kakitani | 744 |
| | 1 |

No. 3 September

| The Fourth Sound in Anisotropic Superfluid ³ He Kazumi Maki | 745 |
|--|-----|
| Density of States in the Energy Gap in the Superconducting Tran- | |
| sition Metal Alloy Katsuichi Tankei and Fumihiko Takano | 760 |
| Longitudinal Nuclear Magnetic Resonance in Superfluid ³ He as In- | |
| ternal Josephson Effect Kazumi Maki and Toshihiko Tsuneto | 773 |
| Phonon Mediated Roton-Roton Interaction in Superfluid He ⁴ | |
| Koji Ishikawa and Kazuo Yamada | 777 |
| On Axially- and Spherically-Symmetric Superfluidity in Coupled | |
| Fermion System | 786 |
| Correlations in Bose Fluids I. An Elementary Excitation and Its Ef- | |
| fective Hamiltonian Sunakawa's Collective Description | |
| Toshio Tsuzuki | 793 |
| Excitation Energy of Liquid Helium II | |
| G. S. Grest and A. K. Rajagopal | 811 |
| Liquid-Solid Transitions in Systems of Soft Repulsive Forces— | |
| Softness of Potentials and a Maximum in Melting Curves | |
| | 822 |
| On the Yang-Lee Distribution of Zeros for a Gas Obeying van der | |
| Waals' Equation of State. III — Calculations for Low Tempera- | |
| tures | 840 |
| Virial Theorem for the Jastrow-Type Ground State of a Bose Fluid | |
| Kazuo Hiroike | 860 |
| Critical Relaxation of a Non-Linear Fokker-Planck Equation | |
| | 871 |
| Conservation Laws of Nonlinear-Evolution Equations | |
| | 886 |
| Alpha-Particle Model of Light Nuclei | 890 |
| Boson Expansion Method and the Coupling of Different Degrees | |
| of FreedomV. Ceausescu and A. A. Raduta | 903 |
| Effective Interactions in Finite Nuclei Based on Reaction Matrix | |
| Theory. II—Properties of Reaction Matrix and Core-Phonon- | |
| Exchange Interaction— | |
| Kazuhiko Andō, Hiroharu Bandō and Sinobu Nagata | 928 |
| Inelastic Scattering of Negative Pions on C12 under Distorted Wave | |
| Impulse Approximation Toshio Nishiyama and Hisao Ohtsubo | 952 |
| Breaking of Line Reverse Relation and Exotics | |
| | |
| | 971 |
| Masahiro Imachi and Shoichiro Otsuki | 971 |
| | 971 |

| pp Elastic Scattering in NAL and ISR Energy Regions and Multiple Scattering in the Composite Model | |
|---|-------|
| Scattering in the Composite Model | 1000 |
| Relations between Correlation Functions of Produced Particles and | |
| the Dynamics of High Energy Multi-Particle Production | |
| Hiroshi Fukuda | 1013 |
| Two-Particle Rapidity Correlations and the Fluid Analogy | |
| Subir K. Bose | 1028 |
| Functional Approach to the Critical Dimension in Veneziano's Model | |
| Masatsugu Minami | 1031 |
| Integrability and Definition of Current in the Thirring Model | |
| Yukio Taguchi, Azuma Tanaka and Kunio Yamamoto | 1042 |
| Difference Equation and an Extended Particle Model of Hadrons | |
| Sigefumi Naka | 1051 |
| Letters to the Editor: | |
| Forward Meson-Baryon Scattering and Urbaryon Rearrangement Amplitudes with | |
| Z Type Ones | 1059 |
| M. Imachi, S. Otsuki and F. Toyoda | 1061 |
| Fireball Analysis of γ-Ray Families in High Energy Nuclear Interactions Y. Sato Stability of Envelope Soliton | 1064 |
| A Note on the Boundary Condition of O'Brien and Synge | 1066 |
| M. M. Kumar and B. P. Singh | 1068 |
| The π^+p Mass Distribution for the Reaction $vp \rightarrow \mu^-\pi^+p$ in Adler's Model | |
| Remarks on the Asymptotic Field Approach to the Course Theory | 1070 |
| Remarks on the Asymptotic-Field Approach to the Gauge Theory | 1072 |
| Errata: | 10,12 |
| Bethe Lattice and the Bethe Approximation (Vol. 51, p. 82) | |
| S. Katsura and M. Takizawa | 1075 |
| | 2010 |
| No. 4 October | |
| On the Electrical Resistivity of Antiferromagnetic Metals at Low | |
| Temperatures | 1077 |
| Theory of Nerve Excitation in Reference to Energy Dissipation | |
| ——An Example of Far from Equilibrium System—— | |
| Yôji Aizawa and Yonosuke Kobatake | 1094 |
| Molecular-Dynamics Studies on the Soft-Core Model | |
| Hirotayan Mataula T. 1 | |
| Hirotsugu Matsuda, Tohru Ogawa, Naofumi Ogita and Akira Ueda | 1105 |
| Theory of the Random Magnetic Mixture. I—Ising System— | |
| Constant Effect Crisi I.B. Fumitaka Matsubara | 1124 |
| Quantum Effect, Critical Dynamics and One-Particle Excitation in | |

| 1/n Expansion. IRyuzo Abe | 1135 |
|--|--------------|
| Phase Transition between Stationary States. I—A Simple Model of | |
| Laser-Like Behaviour— | |
| Jun-ichi Hori, Yukio Okwamoto, Masatoshi Ono and Yuichi Sawaya | 1146 |
| Pair Theory for Individual Particles in Liquid Helium II | |
| Toshiyuki Nishiyama and Yoiti Watanabe | 1161 |
| Heat Balance State of the Interstellar Gas - Dependences on the | |
| Amount of Cooling- and Heating-Agencies Tohru Sato | 1174 |
| On the Non-Linear Behavior of Nonspherical Perturbations in Rela- | |
| tivistic Gravitational Collapse | 1188 |
| Role of Particle-Hole Interaction in the Four-Particle-Four-Hole | |
| States in 160 | 1205 |
| Occupation Number Dependence of Interference in Two-Neutron | |
| Transfer Reactions | 1214 |
| Correlation Effects and Energy Spectra in Odd Nuclei | |
| Toshiyuki Yokoi | 1232 |
| Two-Body Off-Shell T and S Matrices | |
| Toshinori Takemiya and Hideaki Nakamura | 1248 |
| Properties of Nuclear Matter for the Proposed NN One-Boson- | |
| Exchange Potential with Full Nonstatic Effects | |
| Norio Hoshizaki, Tsuyoshi Kadota and Teruhisa Kasahara | 1264 |
| Duality Constraints and Representation Mixings in Light-Like Chiral | |
| Algebra Takahisa Kuroiwa, Koichi Yamawaki and Taichiro Kugo | 1274 |
| Gauge Invariant Pion Regge Pole. Koichi Takahashi and Takeshi Ebata | 1288 |
| Quarks as Parton Clusters and Proton-Proton Scattering | |
| Masaaki Kuroda | 1302 |
| Duality Solution and Backward Meson-Baryon Scattering | |
| Takeo Matsuoka | 1307 |
| Spontaneous Breaking of Chiral Symmetry in a Vector-Gluon Model | |
| | 1326 |
| Gauge Freedom in Dual Feynman-Like Rules and Its Relation to | |
| the Massless Yang-Mills Field Theory | 1355 |
| Parafermi Field Theory and Elementary Particles | |
| Yoshio Ohnuki and Susumu Kamefuchi | 1369 |
| Relativistic Bound State under the Hooke-Type Action-at-a-Distance | |
| Takehiko Takabayasi | 1376 |
| Letters to the Editor: | |
| Extended X-Ray Sources and Missing Masses in Clusters of Galaxies R. Hōshi | 1392 |
| On a Treatment for Velocity-Dependent Tensor Forces in Two-Nucleon Problems | |
| T. Obinata and M. Wada | 1394 |
| Higher Conservation Laws for the Korteweg-de Vries Equation through Bäcklund | 1000 |
| Transformation | 1396 1397 |
| Nominical Diffusion in Official Diffaty Mixture | 1031 |

| Reductive Perturbation Approach to Chemical M. Y. Kuramoto and T. Tsuzuki | 1399 1401 |
|--|--------------|
| Compositeness and Anomalous Dimensions | 1401 |
| No. 5 November | |
| Transport Properties of Superfluid ³ He. Toshio Soda and Kazuo Fujiki | 1405 |
| Critical Behavior of an Extremely Anisotropic n-Vector Model | |
| Shinobu Hikami | 1431 |
| Vertex Correction in Turbulence | 1438 |
| Ground State and the Magnetization Process of the Body-Centered | |
| Tetragonal Lattice with Ising Spins | |
| Akira Narita and Shigetoshi Katsura | 1448 |
| Quantum Effect, Critical Dynamics and One-Particle Excitation in | |
| 1/n Expansion. II | 1463 |
| Specific Heat of Three-Dimensional Ising Model Hiroshi Katsumori | 1473 |
| Some Remarks on the Theory of Fluctuations around Nonequili- | |
| brium StatesG. Nicolis, P. Allen and A. Van Nypelseer | 1481 |
| A New Form of Bäcklund Transformations and Its Relation to the | |
| Inverse Scattering Problem | 1498 |
| On Irreversible Process of a Many-Particle and Radiation System. | |
| Iwao Hosokawa | 1513 |
| Contributions to Statistical Mechanics Far from Equilibrium. III | |
| —Non-Perturbative Method for Steady States— | |
| | 1527 |
| On the Average Effect of a Highly Turbulent Gravito-Hydrodynamic | |
| Field in the Hadron Era of the Universe Hidekazu Nariai | 1539 |
| Properties of the Saito Nonlocal Potential | |
| M. J. Englefield and H. S. M. Shoukry | 1554 |
| Analysis of $P_sN \rightarrow VN$ Reactions through s-Channel Picture | |
| Kenzo Inoue, Tetsuji Kawabe and Masayuki Uehara | 1567 |
| Baryon Resonances and Lightlike Chiral Algebra | |
| | 1583 |
| Pion Production in p-p AnnihilationShigeo Minami | 1601 |
| On the Multiplicity Distribution in Semi-Inclusive Reactions | |
| Ryoku Nakamura and Shoichi Hori | 1610 |
| Whole-Region Formula for Single-Particle Distributions and Two- | |
| Body Reactions at All Angles Kisei Kinoshita and Hujio Noda | 1622 |
| Weak Neutral Currents and the Hiroshima Model Yoshio Koide | 1640 |
| Nonlinear Realization of Conformal Symmetry | |
| Setsuko Hori, Jiro Sakamoto and Akira Sato | 1647 |
| Theory of the Dual-Fermion String Gaku Konisi and Takesi Saito | 1652 |

| Neutral-Vector Field Theory with Invariant Gauge Families | |
|--|--------------|
| Kan-ichi Yokoyama | 1669 |
| A Quantum-Theoretical Lagrangian Formalism for Quasi-Linear | |
| Field Theories. I — General Theory— | |
| Takao Okabayashi and Hiroyuki Kikugawa | 1687 |
| Language of Britan | |
| Letters to the Editor: | |
| A Comment on the Analytical Calculational Method of Kernels in the Resonating Group Method | 1702 |
| High-Energy π ^{-d} Elastic Scattering | 1704 |
| Deuteron Break-Up in the Sudden Approximation K. A. Gridnev and E. F. Hefter | 1707 |
| Logarithmic Rising of Total Cross Section and Its Threshold | |
| | 1709 |
| An Ising Ferromagnet with Dilute Random Defects F. T. Lee Brownian Motion in the Three-Dimensional Diatomic Lattice | 1711 1713 |
| An Empirical Mass Relation | 1715 |
| Coexistence of Diagonal and Off-Diagonal Long-Range Orders in Fermion Systems | |
| Y. Nagaoka | 1716 |
| Errata: | |
| Excitation Energy of Liquid Helium II (Vol. 52, p. 811) | |
| G. S. Grest and A. K. Rajagopal | 1719 |
| Bound States and Asymptotic Fields in the Translation-Invariant Lee Model (Vol. 52, p. 659) | 1720 |
| On the Superfluid Phases of Liquid ⁸ He (Vol. 51, p. 327) | 1720 |
| T. Soda and K. Yamazaki | 1430 |
| | |
| No. 6 December | |
| 10. 0 December | |
| TO C. I C. I. C. O. I. I Al | |
| Theoretical Study of Optical Absorption Curves of Molecules. IV | |
| —Improvement of Self-Consistent HMO Method Using a New | |
| Resonance Integral and Investigation of a Relation between Bond | |
| Alternation and Wavelength of Optical Absorption— | 1701 |
| Toshiaki Kakitani | 1721 |
| Application of the Dielectric Formulation to the Multi-Component, | 1505 |
| Many-Particle System with Coulomb Interaction . Mitsuaki Ginoza | 1737 |
| Irreversible Circulation and Orbital Revolution—Hard Mode In- | |
| stability in Far-from-Equilibrium Situation— | 1.14 |
| | 1744 |
| Theory of the Unrestricted Hartree-Fock Equation and Its Solutions. | |
| III—Classification of Instabilities and Interconnection Relation | |
| | |
| between the Eight Classes of UHF Solutions | 1766 |
| between the Eight Classes of UHF Solutions— Hideo Fukutome A Long-Range Attractive Interaction of Rotons in Superfluid 'He | |
| between the Eight Classes of UHF Solutions— Hideo Fukutome A Long-Range Attractive Interaction of Rotons in Superfluid 'He Toshiyuki Nishiyama and Shunkichi Sai | 1766 1784 |
| between the Eight Classes of UHF Solutions— Hideo Fukutome A Long-Range Attractive Interaction of Rotons in Superfluid 'He | |

| Collective Instabilities of Self-Gravitating Systems—Infinite Homo- | |
|---|--------|
| geneous Case— | |
| Satoru Ikeuchi, Takashi Nakamura and Fumio Takahara | 1807 |
| Theory of Collective Excitations in Spherical Odd-Mass Nuclei. IV | |
| —Formulation in the General Many-j-Shell Model—. Atsushi | - 2004 |
| Kuriyama, Toshio Marumori, Kenichi Matsuyanagi and Ryoji Okamoto | 1819 |
| $\pi N \rightarrow \pi d_3$ Production by Single Quark Transition in $SU(6) \otimes O(3)$ | |
| Structure Masanobu Hirano | 1841 |
| A Resonance Model of Bosons Based on Duality and the Quark | |
| Model | 1855 |
| Comment on Methods for Systematic Determination of Correction | |
| to the Glauber Amplitude | 1865 |
| Two-Body Reactions at All Angles as the Exclusive Limit of Inclu- | |
| sive Reactions Kisei Kinoshita and Yasuo Myozyo | 1873 |
| Neutral Current Interactions Based on a General Baryon-Lepton | |
| Symmetry Model Masami Nakagawa | 1883 |
| A Green's Function Method for Cremmer and Gervais' Vertex | |
| Masatsugu Minami | 1890 |
| The Number of Physical States Satisfying Supergauge Conditions in | |
| Dual Resonance Models | 1902 |
| General-Covariant Approach to Relativistic String Theory | |
| Takehiko Takabayasi | 1910 |
| The Lehmann-Symanzik-Zimmermann Formalism for Manifestly | |
| Covariant Quantum ElectrodynamicsNoboru Nakanishi | 1929 |
| Green's Functions for Non-Abelian Gauge Fields | |
| Jiro Sakamoto and Akira Sato | 1946 |
| A Quantum-Theoretical Lagrangian Formalism for Quasi-Linear | |
| Field Theories. II——Quantum-Field Theory of Non-Linear Reali- | |
| zation and Current-Current Interaction of Pion Field- | |
| Takao Okabayashi and Hiroyuki Kikugawa | 1953 |
| Letters to the Editors: | |
| On the Cascade Process in Kaonic Atoms | 1971 |
| On a Composite Model for Hadronic Constituents | 1973 |
| Hadronic Matter and Resonances | 1975 |
| Errata: | |
| Quarks as Parton Clusters and Proton-Proton Scattering (Vol. 52, p. 1302) | |
| M Kunada | 1977 |
| Hadron Resonances and Lightlike Chiral Algebra (Vol. 51, p. 1521) M. Ida Author Index to Volume 52 | 1978 |
| Subject Index to Volume 52 | 1979 |
| Contents to Volume 52 | 1986 |